



OMB Control No. 2060-0161
Approval expires 03/31/2019

OMB Control No. 2060-0693
Approval expires 03/31/2019

EPA Form 6400-05

RESIDENTIAL WOOD HEATER 30-DAY NOTIFICATION

INSTRUCTIONS

The manufacturer of an affected wood/pellet heater/central heater model line must notify the U.S. Environmental Protection Agency (EPA) of the date that certification testing is scheduled to begin. The EPA at least 30 days before the start of testing.

This notification must be signed by a responsible representative of the manufacturer or an authorized representative. Once completed, this notification must be submitted to WoodHeaterReports@epa.gov.

Affected residential wood-burning room heaters currently include, but are not limited to, adjustable burn rate stoves, catalytic adjustable burn rate stoves; hybrid adjustable burn rate stoves; single burn rate stoves; and pellet stoves. (40 CFR Part 60, Subpart AAA)

Affected residential wood-burning central heaters currently include, but are not limited to, indoor hydronic heaters ("wood boilers"); outdoor hydronic heaters ("outdoor wood boilers"); and forced-air furnaces ("warm air furnaces"). (40 CFR Part 60, Subpart QQQQ)

The public reporting and recordkeeping burden for this collection of information is estimated to average 8 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Regulatory Support Division, U.S. Environmental Protection Agency (EPA) (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed application to this address.

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to Part 60 Subparts AAA AND QQQQ, Sections 60.537 and 60.5479. If you have additional questions, please contact Rafael Sanchez at 202-564-7028, Residential Wood Heater Compliance Program Lead, or via email at sanchez.rafael@epa.gov.

MANUFACTURER INFORMATION

Manufacturer's Name:

Fröling Heizkessel- und Behälterbau Ges.m.b.H.

Manufacturer's Physical Address:

Industriestraße 12, A-4710, Grieskirchen,
Austria

Manufacturer's Mailing Address (if different from physical address):

Name and Title of Manufacturer's Responsible/Authorized Representative Submitting this Application:

Mr. Werner Emhofer, Fa. Fröling GmbH, Export Sales Manager

Manufacturer's Contact E-mail:

w.emhofer@froeling.com

Manufacturer's Phone Number:

+43 (7248) 606 - 0

Manufacturer's Website Address:

www.froeling.com

Manufacturer's Website Address where the test report and owner's manual will be posted, if known:

www.froeling.com

AFFECTED WOOD HEATER MODEL INFORMATION

Model Name(s) (as appearing on the certification test report). Please note: the model name and design number must clearly distinguish one model from another. The name and design number cannot include the EPA symbol or logo or name or derivatives such as "EPA":

Product: Cord Wood-Fired Hydronic Heating Appliance (With Partial Thermal Storage)
Type: S3 Turbo 30

Model Number(s) (as appearing on the certification test report, if applicable):

S3 Turbo 30

Heater Type Check one):	<input type="checkbox"/> Adjustable Burn Rate Wood Heater	<input type="checkbox"/> Pellet Stove	<input type="checkbox"/> Single Burn Rate Heater	<input checked="" type="checkbox"/> Hydronic Heater	<input type="checkbox"/> Forced Air Furnace
Hydronic Heater Type (Check one):	<input type="checkbox"/> Full Storage	<input checked="" type="checkbox"/> Partial Storage	<input type="checkbox"/> No External Storage	<input checked="" type="checkbox"/> Indoor	<input type="checkbox"/> Outdoor
Forced-Air Furnace Type (Check one):	<input type="checkbox"/> Small (less than 65,000 BTU/hr heat output)		<input type="checkbox"/> Large (greater than 65,000 BTU/hr heat output)		
Fuel Tested (Check one):	<input type="checkbox"/> Crib	<input type="checkbox"/> Pellet	<input checked="" type="checkbox"/> Cordwood	<input type="checkbox"/> Wood Chips	<input type="checkbox"/> Other:
Certification Step:	<input type="checkbox"/> 2015	<input type="checkbox"/> 2016 (FAFs only)	<input type="checkbox"/> 2017 (FAFs only)	<input checked="" type="checkbox"/> 2020 (ALL HEATERS)	

Equipped with a catalytic combustor? ☐ Yes ☒ No

EPA-APPROVED TEST LABORATORY

Name of EPA-Approved Test Laboratory:

Engineering Test Institute,
Public Enterprise (SZU)
Hudcova 424/56b, 621 00 Brno,
Czech Republic

Name(s) of Person(s) Authorized and/or Responsible for Conducting Certification Test:

Mr. Havlů Michal

Phone:

+420606 023 661

E-mail:

havlu@szutest.cz

Fax:

City: Brno

State: Czech Republic

ZIP Code: 62100

EPA-APPROVED THIRD-PARTY CERTIFIER

Name of EPA-Approved Third-Party Certifier:

Engineering Test Institute,
Public Enterprise (SZU)
Hudcova 424/56b, 621 00 Brno,
Czech Republic

Name(s) of Person(s) Authorized and/or Responsible for Reviewing Test Report and/or Issuing Certification of Conformity:

Mr. Holomek Milan

Phone: +420724532132

E-mail: holomek@szutest.cz

Fax:

City: Brno

State: Czech Republic

ZIP Code: 62100

COMPLIANCE TEST INFORMATION

Test Method(s): EPA Method 28 WHH-PTS

Date(s) of Proposed Test:

30.9.2019 – 18.10.2019

Testing Location (Name and Address):

Engineering Test Institute,
Public Enterprise (SZU)
Hudcova 424/56b, 621 00 Brno,
Czech Republic

Technician's Contact Name:

Mr. Michal Havlu

Title:

Phone Number:
+420606023661

Email Address:
havlu@szutest.cz

Mr. Michal Havlu

Print Name and Title of Authorized Official

Signature

12.9.2019

Date

Telephone Number: +420606023661

Email Address: havlu@szutest.cz

Remarks:

v1

STROJÁRENSKÝ ZKUŠEBNÍ ÚSTAV, s.r.o.
HUDCOVA 56b
621 00 BRNO



OMB Control No. 2060-0161
Approval expires 03/31/2019

OMB Control No. 2060-0693
Approval expires 03/31/2019

EPA Form 6400-05

RESIDENTIAL WOOD HEATER 30-DAY NOTIFICATION

INSTRUCTIONS

The manufacturer of an affected wood/pellet heater/central heater model line must notify the U.S. Environmental Protection Agency (EPA) of the date that certification testing is scheduled to begin. The EPA at least 30 days before the start of testing.

This notification must be signed by a responsible representative of the manufacturer or an authorized representative. Once completed, this notification must be submitted to WoodHeaterReports@epa.gov.

Affected residential wood-burning room heaters currently include, but are not limited to, adjustable burn rate stoves, catalytic adjustable burn rate stoves; hybrid adjustable burn rate stoves; single burn rate stoves; and pellet stoves. (40 CFR Part 60, Subpart AAA)

Affected residential wood-burning central heaters currently include, but are not limited to, indoor hydronic heaters ("wood boilers"); outdoor hydronic heaters ("outdoor wood boilers"); and forced-air furnaces ("warm air furnaces"). (40 CFR Part 60, Subpart QQQQ)

The public reporting and recordkeeping burden for this collection of information is estimated to average 8 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Regulatory Support Division, U.S. Environmental Protection Agency (EPA) (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed application to this address.

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to Part 60 Subparts AAA AND QQQQ, Sections 60.537 and 60.5479. If you have additional questions, please contact Rafael Sanchez at 202-564-7028, Residential Wood Heater Compliance Program Lead, or via email at sanchez.rafael@epa.gov.

A handwritten signature in blue ink, located in the bottom right corner of the page.

MANUFACTURER INFORMATION

Manufacturer's Name:

Fröling Heizkessel- und Behälterbau Ges.m.b.H.

Manufacturer's Physical Address:

Industriestraße 12, A-4710, Grieskirchen,
Austria

Manufacturer's Mailing Address (if different from physical address):

Name and Title of Manufacturer's Responsible/Authorized Representative Submitting this Application:

Mr. Werner Emhofer, Fa. Fröling GmbH, Export Sales Manager

Manufacturer's Contact E-mail:

w.emhofer@froeling.com

Manufacturer's Phone Number:

+43 (7248) 606 - 0

Manufacturer's Website Address:

www.froeling.com

Manufacturer's Website Address where the test report and owner's manual will be posted, if known:

www.froeling.com

AFFECTED WOOD HEATER MODEL INFORMATION

Model Name(s) (as appearing on the certification test report). Please note: the model name and design number must clearly distinguish one model from another. The name and design number cannot include the EPA symbol or logo or name or derivatives such as "EPA":

Product: Solid Fuel-Fired Hydronic Heating Appliances

Type: P4 Pellet 60

Model Number(s) (as appearing on the certification test report, if applicable):

P4 Pellet 60

Heater Type Check one):	<input type="checkbox"/> Adjustable Burn Rate Wood Heater	<input type="checkbox"/> Pellet Stove	<input type="checkbox"/> Single Burn Rate Heater	<input checked="" type="checkbox"/> Hydronic Heater	<input type="checkbox"/> Forced Air Furnace
Hydronic Heater Type (Check one):	<input type="checkbox"/> Full Storage	<input type="checkbox"/> Partial Storage	<input type="checkbox"/> No External Storage	<input checked="" type="checkbox"/> Indoor	<input type="checkbox"/> Outdoor
Forced-Air Furnace Type (Check one):	<input type="checkbox"/> Small (less than 65,000 BTU/hr heat output)		<input type="checkbox"/> Large (greater than 65,000 BTU/hr heat output)		
Fuel Tested (Check one):	<input type="checkbox"/> Crib	<input checked="" type="checkbox"/> Pellet	<input type="checkbox"/> Cordwood	<input type="checkbox"/> Wood Chips	<input type="checkbox"/> Other:
Certification Step:	<input type="checkbox"/> 2015	<input type="checkbox"/> 2016 (FAFs only)	<input type="checkbox"/> 2017 (FAFs only)	<input checked="" type="checkbox"/> 2020 (ALL HEATERS)	

Equipped with a catalytic combustor? ☐ Yes ☒ No

EPA-APPROVED TEST LABORATORY

Name of EPA-Approved Test Laboratory:

Engineering Test Institute,
Public Enterprise (SZU)
Hudcova 424/56b, 621 00 Brno,
Czech Republic

Name(s) of Person(s) Authorized and/or Responsible for Conducting Certification Test:

Mr. Havlík Michal

Phone:

+420606 023 661

E-mail:

havlu@szutest.cz

Fax:

City: Brno

State: Czech Republic

ZIP Code: 62100

EPA-APPROVED THIRD-PARTY CERTIFIER

Name of EPA-Approved Third-Party Certifier:

Engineering Test Institute,
Public Enterprise (SZU)
Hudcova 424/56b, 621 00 Brno,
Czech Republic

Name(s) of Person(s) Authorized and/or Responsible for Reviewing Test Report and/or Issuing Certification of Conformity:

Mr. Holomek Milan

Phone: +420724532132

E-mail: holomek@szutest.cz

Fax:

City: Brno

State: Czech Republic

ZIP Code: 62100

COMPLIANCE TEST INFORMATION

Test Method(s): EPA Method 28 WHH

Date(s) of Proposed Test:

14.10.2019 – 25.10.2019

Testing Location (Name and Address):

Engineering Test Institute,
Public Enterprise (SZU)
Hudcova 424/56b, 621 00 Brno,
Czech Republic

Technician's Contact Name:

Mr. Michal Havlu

Title:**Phone Number:**

+420606023661

Email Address:

havlu@szutest.cz

Mr. Michal Havlu

Print Name and Title of Authorized Official

Signature

12.9.2019

Date

Telephone Number: +420606023661

Email Address: havlu@szutest.cz

Remarks:

v1

PROJEKČNÍ ZKUSOBNÍ ÚSTAV, s.r.o.
HUDCOVA 56b
621 00 BRNO



OMB Control No. 2060-0161
Approval expires 03/31/2019

OMB Control No. 2060-0693
Approval expires 03/31/2019

EPA Form 6400-05

RESIDENTIAL WOOD HEATER 30-DAY NOTIFICATION

INSTRUCTIONS

The manufacturer of an affected wood/pellet heater/central heater model line must notify the U.S. Environmental Protection Agency (EPA) of the date that certification testing is scheduled to begin. The EPA at least 30 days before the start of testing.

This notification must be signed by a responsible representative of the manufacturer or an authorized representative. Once completed, this notification must be submitted to WoodHeaterReports@epa.gov.

Affected residential wood-burning room heaters currently include, but are not limited to, adjustable burn rate stoves, catalytic adjustable burn rate stoves; hybrid adjustable burn rate stoves; single burn rate stoves; and pellet stoves. (40 CFR Part 60, Subpart AAA)

Affected residential wood-burning central heaters currently include, but are not limited to, indoor hydronic heaters ("wood boilers"); outdoor hydronic heaters ("outdoor wood boilers"); and forced-air furnaces ("warm air furnaces"). (40 CFR Part 60, Subpart QQQQ)

The public reporting and recordkeeping burden for this collection of information is estimated to average 8 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Regulatory Support Division, U.S. Environmental Protection Agency (EPA) (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed application to this address.

Disclaimer: The statutory provisions and the EPA regulations described in this document contain legally binding requirements. This document is not a substitute for those provisions or regulations, nor is it a regulation itself. In the event of a discrepancy, please refer to Part 60 Subparts AAA AND QQQQ, Sections 60.537 and 60.5479. If you have additional questions, please contact Rafael Sanchez at 202-564-7028, Residential Wood Heater Compliance Program Lead, or via email at sanchez.rafael@epa.gov.

A handwritten signature in blue ink, located in the bottom right corner of the page. The signature is stylized and appears to be a first name followed by a last name.

MANUFACTURER INFORMATION

Manufacturer's Name:

Fröling Heizkessel- und Behälterbau Ges.m.b.H.

Manufacturer's Physical Address:

Industriestraße 12, A-4710, Grieskirchen,
Austria

Manufacturer's Mailing Address (if different from physical address):

Name and Title of Manufacturer's Responsible/Authorized Representative Submitting this Application:

Mr. Werner Emhofer, Fa. Fröling GmbH, Export Sales Manager

Manufacturer's Contact E-mail:

w.emhofer@froeling.com

Manufacturer's Phone Number:

+43 (7248) 606 - 0

Manufacturer's Website Address:

www.froeling.com

Manufacturer's Website Address where the test report and owner's manual will be posted, if known:

www.froeling.com

AFFECTED WOOD HEATER MODEL INFORMATION

Model Name(s) (as appearing on the certification test report). Please note: the model name and design number must clearly distinguish one model from another. The name and design number cannot include the EPA symbol or logo or name or derivatives such as "EPA":

Product: Solid Fuel-Fired Hydronic Heating Appliances
Type: P4 Pellet 100

Model Number(s) (as appearing on the certification test report, if applicable):

P4 Pellet 100

Heater Type Check one):	<input type="checkbox"/> Adjustable Burn Rate Wood Heater	<input type="checkbox"/> Pellet Stove	<input type="checkbox"/> Single Burn Rate Heater	<input checked="" type="checkbox"/> Hydronic Heater	<input type="checkbox"/> Forced Air Furnace
Hydronic Heater Type (Check one):	<input type="checkbox"/> Full Storage	<input type="checkbox"/> Partial Storage	<input type="checkbox"/> No External Storage	<input checked="" type="checkbox"/> Indoor	<input type="checkbox"/> Outdoor
Forced-Air Furnace Type (Check one):	<input type="checkbox"/> Small (less than 65,000 BTU/hr heat output)		<input type="checkbox"/> Large (greater than 65,000 BTU/hr heat output)		
Fuel Tested (Check one):	<input type="checkbox"/> Crib	<input checked="" type="checkbox"/> Pellet	<input type="checkbox"/> Cordwood	<input type="checkbox"/> Wood Chips	<input type="checkbox"/> Other:
Certification Step:	<input type="checkbox"/> 2015	<input type="checkbox"/> 2016 (FAFs only)	<input type="checkbox"/> 2017 (FAFs only)	<input checked="" type="checkbox"/> 2020 (ALL HEATERS)	

Equipped with a catalytic combustor? ☐ Yes ☒ No

EPA-APPROVED TEST LABORATORY

Name of EPA-Approved Test Laboratory:

Engineering Test Institute,
Public Enterprise (SZU)
Hudcova 424/56b, 621 00 Brno,
Czech Republic

Name(s) of Person(s) Authorized and/or Responsible for Conducting Certification Test:

Mr. Havlů Michal

Phone:

+420606 023 661

E-mail:

havlu@szutest.cz

Fax:

City: Brno

State: Czech Republic

ZIP Code: 62100

EPA-APPROVED THIRD-PARTY CERTIFIER

Name of EPA-Approved Third-Party Certifier:

Engineering Test Institute,
Public Enterprise (SZU)
Hudcova 424/56b, 621 00 Brno,
Czech Republic

Name(s) of Person(s) Authorized and/or Responsible for Reviewing Test Report and/or Issuing Certification of Conformity:

Mr. Holomek Milan

Phone: +420724532132

E-mail: holomek@szutest.cz

Fax:

City: Brno

State: Czech Republic

ZIP Code: 62100

COMPLIANCE TEST INFORMATION

Test Method(s): EPA Method 28 WHH

Date(s) of Proposed Test:

18.11.2019 – 29.11.2019

Testing Location (Name and Address):

Engineering Test Institute,
Public Enterprise (SZU)
Hudcova 424/56b, 621 00 Brno,
Czech Republic

Technician's Contact Name:

Mr. Michal Havlu

Title:**Phone Number:**

+420606023661

Email Address:

havlu@szutest.cz

Mr. Michal Havlu

Print Name and Title of Authorized Official

Signature

12.9.2019

Date

Telephone Number: +420606023661

Email Address: havlu@szutest.cz

Remarks:

v1

STROJÍRENSKÝ ZKUŠEBNÍ ÚSTAV, s.r.o.
HUDCOVA 56b
621 00 BRNO